

Livestock category	Herbage/Pasture mass (kg DM/ha)*														
	500					1000					1500				
	Pasture digestibility %					Pasture digestibility %					Pasture digestibility %				
	40	50	60	70	80	40	50	60	70	80	40	50	60	70	80
	kg/hd/d	kg/hd/d	kg/hd/d	kg/hd/d	kg/hd/d	kg/hd/d	kg/hd/d	kg/hd/d	kg/hd/d	kg/hd/d	kg/hd/d	kg/hd/d	kg/hd/d	kg/hd/d	kg/hd/d
40 kg ewe, condition score 3															
Dry or pregnant	0.2	0.4	0.6	0.7	0.9	0.3	0.5	0.8	1.0	1.1	0.4	0.5	0.8	1.1	1.2
Lactating: singles*	0.4	0.7	0.9	1.2	1.4	0.6	0.8	1.3	1.6	1.8	0.7	0.9	1.4	1.7	1.9
twins*	0.5	0.8	1.0	1.3	1.5	0.7	0.9	1.5	1.8	1.9	0.8	1.0	1.7	2.0	2.1
50 kg ewe, condition score 3															
Dry or pregnant	0.3	0.5	0.7	0.9	1.2	0.4	0.6	1.0	1.2	1.3	0.6	0.7	1.1	1.3	1.4
Lactating: singles*	0.5	0.9	1.1	1.4	1.9	0.8	1.0	1.6	1.9	2.1	0.9	1.0	1.7	2.0	2.2
twins*	0.6	1.0	1.3	1.6	2.0	0.9	1.1	1.9	2.2	2.3	1.0	1.1	2.1	2.4	2.5
60 kg ewe, condition score 3															
Dry or pregnant	0.4	0.7	0.8	1.0	1.5	0.5	0.7	1.2	1.4	1.6	0.7	0.8	1.3	1.6	1.7
Lactating: singles*	0.6	1.1	1.4	1.7	2.2	0.9	1.2	1.9	2.2	2.5	1.2	1.4	2.1	2.4	2.6
twins*	0.7	1.2	1.6	1.9	2.4	1.0	1.3	2.2	2.7	2.9	1.3	1.5	2.5	2.9	3.1
70 kg ewe, condition score 3															
Dry or pregnant	0.4	0.8	1.0	1.2	1.7	0.6	0.8	1.4	1.7	1.9	0.8	0.9	1.5	1.8	1.9
Lactating: singles*	0.7	1.3	1.6	1.9	2.6	1.0	1.3	2.2	2.6	2.9	1.3	1.4	2.4	2.8	2.9
twins*	0.8	1.4	1.8	2.1	2.8	1.1	1.4	2.6	3.1	3.4	1.4	1.5	2.9	3.4	3.6

* To convert herbage/pasture mass to Feed on Offer (FOO), add 300 kg DM/ha. See also signposts in [Chapter 8.2](#)

* For lactating ewes, an allowance has been made for the pasture intake of their lambs Source: PROGRAZE®, adapted by AWI and MLA